



digital photoframe FrameXX

Frame 🔀

www.framexx.com



PICTURE OR FrameXX?

- presents pictures, videos and websites located in memory, LAN or internet
- 4S Shot, Store, Synchronize, Show
- weather station it can display weather forecast from 10 million locations, updated every minute from internet
- is suitable for any room design (color variations of wooden frame available)
- has very simple, intuitive control and allows autostart and synchronization when power is connected



(wooden core covered by metal foil)
Matboard color (device) white and black
10 color frame versions as a standard options
Custom frames available, also custom RAL/CMYK frame color
AG LCD panel 13,3", high viewing angle viewing angle +/- 178°, resolution 1280 x 800 pxl, aspect ratio 16:10, LED backlight, fullHD video (1920 x 1080 pxl) support, adjustable brightness

• Size: 36 cm x 25,5 cm x 3 cm

Modern metallic design

- Landscape and Portrait modes supported
- Table holder supports Landscape and Portrait modes, VESA 75 mm (4 x M4)
- Low average power consumption (6W)
- Light weight (850g)
- Simple frame replacement (30 sec), tools not needed
- Operation control with Remote Control, buttons (on the rear side), via intranet (VPN) and via FrameXX cloud
- Power supply 100–240V / 12V/2 A
- Wi-Fi B/G/N, LAN RJ-45, external Wi-Fi antenna (SMA connector) with high gain
- 2 x 2 W internal speakers

Portrait installation

- 1x stereo audio out (jack 3.5 mm)
- 3 x USB, 1 x SD/MMC, Internal Memory 6,5 GB







Wife

Gdlna SDropbox flickr

Instagram

5 USB

Micro



PICTURE OR FrameXX?

FrameXX HOME₂₇₁

FrameXX

PRO

- Size: 71 cm x 45 cm x 6.5 cm
 Modern wooden frame More then 50 custom frames available availability of custom RAL/CMYK frame color
 TFT-LCD Full HD panel 27"
- W-LED Backlight, viewing angle +/- 170° horizontal, High static contrast, Vivid&Crisp image, Response time (typ): 1 ms (GtG),
- Contrast ratio (typ): 1000:1 • Simple frame replacement
- Transparent 3 m power cable
- Wi-Fi B/G/N (2.4/5GHz)
- 2 x 2W internal speakers
- 2 x USB, Internal memory 13 GB
- Top industrial grade IPS full HD panel
- Size: PRO321 84.0 cm x 53.4 cm x 5.6 cm PRO431 107.0 cm x 66.2 cm x 4.5 cm PRO491 120.0 cm x 73.3 cm x 4.9 cm PRO551 138.8 cm x 85.7 cm x 4.9 cm PRO650 157.1 cm x 94.8 cm x 6.9 cm
- Brightness 450 cd/m² (PRO321 350 cd/m²)
- Wi-Fi B/G/N (2.4 GHz), LAN
- Low average power consumption (typically PRO431 56W (EPA 6.0))
- Speakers 2 x 10W, USB 2.0, uSD, memory 13GB
- Certified for uninterrupted (24/7) operation
- Settings with RC, via VPN (LAN) or CONTROL cloud
 - + common FrameXX features
- FrameXX TABLARGE
- Size: 32–65" diagonal
 Solid woodon frame
 - Solid wooden frame, customization available
 - Visible navigation bar (optional)
 - All-in-one solution, built-in Android computer, processor 4-core,2 GB flash RAM, 16 GB flash NAND
 - Multi-touch control (10–100)
 - Panel protected by 4.5 mm glass (security sandwich type), anti-glare surface (AG,1 side)
 - + everything as PRO series + common FrameXX features

FrameXX TABSMALL

- Size: 13–22", industrial, IPS Full HD panel
 Built-in Android computer, 8-core processor (1 GB RAM, 8 GB flash NAND)
- Neutral OS 4.4 .4 (rooted, OS 6.0.1 optional), Google Play, optinal navigation bar
- Multi-touch control (10)
- Landscape / Portrait orientation
- 3 x USB, 1 x SD, 1 x Wi-Fi B/G/N (2.4GHz), 1 x LAN

FrameXX SIGN2 DIGITAL SIGNAGE

- Size: 10.6 cm x 10 cm x 2.4 cm
- Ruggedized metal housing, internal real time clock
- Internal & external IrDA receiver (1 m cable)
- Wi-Fi removable external antenna (SMA type)
 LAN, Wi-Fi B/G/N (2.4/5 GHz), IrDA, HDMI
- (4K video 3840 x 2160 px)
- 2 x USB, 1 x SD, Internal memory 13 GB
- A/V (cinch), RS-232 (DB-9), optionally HDMI \rightarrow VGA
- Universal metallic mount, HDMI cable 1.5 m
- Power supply 5 V/2 A





















FEATURES

- Wireless multimedia device operating from internal memory, external storage, Wi-Fi, UPnP, SMB, FTP, Flickr, Instagram, Facebook, Dropbox, YouTube or Internet
- IP TV^{*} channels (free channels in demo mode-BBC news, RTL, TV5, CT...), paid access (up to 200 channels available)
- Wireless connection Wi-Fi B/G/N and standard LAN (SIGN/PRO/TAB), wireless Miracast support (HOME,SIGN only)
- Fanless design (silent operation)
 Photo sildershow (IPC RMD DNC CIE TIEE) with music in the
- Photo slideshow (JPG, BMP, PNG, GIF, TIFF) with music in the background (MP3), up to 40 Mpx JPG support
- Video playback with resolution up to 4K (SIGN) 3840 x 2160 px (MPEG4, MKV, AVI, TS, FLV, MTS, 3GP), direct support for MOV (iPhone/iPad) and MP4 (Android), HTML5
- Autostart of the last Slideshow (any content)
- ^{FrameXX}
- Direct remote control within VPN/intranet via IP_address
- Detailed device settings supported
 No internet connection required

^{FrameXX} CONTROL

- Remote control via FrameXX cloud
- Centralized surveillance
- Advanced remote settings of devices
- Group operation
- Playlist support, Timers
- Remote Power ON/OFFFree license (limited features-but
- unlimited devices)

 Remote firmware update
- Detailed history log, ...

- Landscape/portrait orientation, 50 Hz/60 Hz modes
- Playlist support
- Slideshow from all sub-directories (function "recursion"), non-streaming mode
- HTML5 video streaming support
- Advanced timers, scheduling, auto-synchronization
- Weather banner (current + 2-day forecast), RSS feed banner, Text banner, Picture banner, Solid and (semi) transparent background
- EXIF info + banner basic & advanced values (photo info, text info, camera info, location info ...)
- Transition effects, Timing, Presentation speed, File order, Off-line autocopy ...
- File type mask, Date mask (fixed, floating)



USAGE SCENARIOS

- Households display vacation photos, send pictures to distant family, decorate for every season, use as an infotainment panel with precise internet weather forecast
- Showrooms, Exhibitions, Lobbies, Museums, Galleries – show multiple images in one place, create a high quality viewing experience with a nice atmosphere in customized wooden frames
- Restaurants, Hotels, Shops save money on signs and change information quickly and often, provide informative details for customers
- Corporate premises internal "information wall panel" presentations of their own events, employees photos
- Schools, Authorities providing updated informations, education





IP TV contains TV channels in following languages -English, German, French, Russian, Czech.

WIFi) Gdlna SDropbox flickr

ckr f

Instrument

e e

USB

Micro